



BTT30 | BTT45

# Stacked Tumble Dryer

## FEATURES

- Standard galvanized drum
- Stainless steel front panel with black painted door
- Large door opening for easy loading & unloading
- Self cleaning lint screen

## OPTIONS

- Coin operated
- Stainless steel drum
- Reversing drum

## CONTROLS OPTIONS

- Evolis / Evolis Elite – fully programmable and customizable cycles 7" touch screen.
  - User-friendly screen with operating instructions built in as part of the control
  - Complete control content available in 34 languages
- Easy - To - Use Microprocessor - Dual Digital Control or OPL Micro
- Coin Operated Easy - To - Use Microprocessor



### FIRE SUPPRESSION SYSTEM

For maximal safety of your operations



### LOW ENERGY CONSUMPTION

Lower energy and utility costs, lower linen replacement costs



### CLOUD-BASED PLATFORM

to easily monitor your laundry everywhere and at any time

YOUR SMART LAUNDRY PARTNER

Distributor by : **Retrology** AUTHORIZED DISTRIBUTOR **No.1** IN INDONESIA

+628111 687746 +628111 867746  
sales@ipsoindonesia.com  
[www.ipsoindonesia.com](http://www.ipsoindonesia.com)

		BTT30	BTT45
<b>CAPACITY</b>			
Capacity 1:18	kg (lb)	2 x 17(38)	2 x 24(51)
Capacity 1:22	kg (lb)	2 x 14(31)	2 x 20(42)
Drum volume	l	2 x 300	2 x 420
Drum diameter	mm	Ø 762	Ø 838
<b>AIRFLOW</b>			
	l/sec	310 - 380	570
<b>MOTORS</b>			
Fan	kW	0,40	0,40
Drive	kW	0,40	0,40
<b>NOISE LEVEL</b>			
	dBA	63	65
<b>GAS HEATING</b>			
Gas connection	NPT	1/2"	1/2"
<b>ELECTRICAL HEATING</b>			
Electrical connection			
Energy per pocket	kW	16.1 - 77	23.4 - 100.2
	kBTU/h	55 - 73	80 - 95
<b>EXHAUST</b>			
Electrical connection			
Energy per pocket	kW	12 - 21	-
EXHAUST	mm	150 - 200	250
<b>DIMENSIONS</b>			
H*W*D	mm	1940x800x1100	2065x875x1260
Net weight	kg	265 - 275	315
<b>TRANSPORT DATA</b>			
Packed H*W*D	mm	2030x830x1190	2160x900x1370
Gross weight	kg	280 - 290	335

	A	B	C	D	E	F	G	H	I	J	K
<b>BTT30</b>	710	1245	1225	290	270	635	730	1100	695	800	1940
<b>BTT45</b>	810	1280	1250	260	235	735	830	1260	770	875	2065
								D		W	H

